

GARCH MODELS AND ENTROPY MEASURES
IN FINANCE
PhD Thesis
Abstract

Author: MUHAMMAD SHERAZ
Scientific Advisor: Professor Dr. VASILE PREDA

2014

Contents

1	GARCH Modelling	5
1.1	GARCH Models and Volatility	5
1.1.1	Generalized Autoregressive Conditional Heteroskedastic Model	5
1.1.2	IGARCH Model	5
1.1.3	EGARCH Model	5
1.1.4	GJR-GARCH Model	6
1.1.5	APARCH Model	6
1.2	GARCH Models and Entropy Measures	6
1.2.1	Problem of Kaniadakis Entropy Measure	6
1.2.2	Problem of Renyi Entropy Measure	7
1.2.3	Problem of Shafee Entropy Measure	7
1.2.4	Problem of Ubriaco Entropy Measure	7
2	Option Pricing and GARCH Volatility	8
2.1	Black-Scholes Model with GARCH Volatility	8
2.2	Kurtosis in BS-Model with GARCH Volatility.	9
2.2.1	In The Money Option (ITM)	9
2.2.2	At The Money Option (ATM)	9
2.2.3	A Simple Case for ATM and ITM Options	10
3	Doubly Stochastic Models with GARCH process	11
3.1	Doubly Stochastic Models with AGARCH and TGARCH Errors	11
4	Data Analysis	14
4.1	Model Selection	14
4.1.1	The Nyblom Test Statistics	15
4.1.2	Distribution of Simulated Parameters	15
4.1.3	GARCH Bootstrap Forecast	16
5	Entropy Measures and Stock Options	18
5.1	Maximum Entropy Problem and Risk-Neutral Density	18
5.2	Pricing European Call and Put Options	20
6	Statistical Heterogeneity	21
6.1	Gini's Index and Risk Neutral Density of Maximum Entropy	21
6.1.1	Shannon's Entropy Problem.	21
6.1.2	Gini's Maximization Problems	21
6.1.3	Shannon's Entropy and Gini's Index	23

7	Renyi Entropy Problems for Risk Neutral Densities	24
7.1	Renyi Entropy for Risk Neutral Density Problems	24
7.2	Pricing European Call and Put Options	27
8	Risk Neutral Densities with New Approaches	28
8.1	Ubriaco Entropy Measure and Risk-Neutral Densities	28
8.1.1	New Approach-The Discrete Case	28
8.1.2	Main Results with Ubriaco Entropy Measure	29
8.2	Shafee Entropy Measure and Risk-Neutral Densities	30
8.2.1	New Approach	31
9	Semi-Markov Regime Switching Interest Rate Models	33
9.1	Measure selection: Tsallis entropy	33
9.2	Measure selection: Kaniadakis entropy	33
9.3	Risk-Neutral Probabilities	34

INTRODUCTION

This thesis addresses the option pricing theory, which is a field of the highest importance in the present research in finance.

The Black-Scholes model (1973) assumes that the volatility of stock prices is a constant function. In practice, analysts always use the market option price to back out the volatility when they use Black-Scholes model. The continuous time stochastic model has an inherent disadvantage to assume that volatility is observable, but it is impossible to exactly filter volatility from discrete observations of spot asset prices in a continuous time stochastic volatility model (Heston and Nandi, 2000). Consequently it is impossible to price an option solely on the basis of the history of asset prices.

The GARCH option pricing model assumes that the conditional volatility of stock prices depends on the past pricing errors. Duan (1995, 1996) argued that most of the existing bivariate diffusion models that had been used to model asset returns and volatility, could be represented as limits of a family of GARCH models. On the other hand the GARCH model has an advantage over the continuous time model that volatility is readily observable in the history of asset prices. Thus the GARCH model is chosen over the continuous time model when comparing the empirical performance of the stochastic option model and the discrete time model. Meaningfully Monte Carlo simulation has performed to examine the empirical performance of the Black-Scholes model and the GARCH option pricing model.

One of the well established facts in the financial modeling states that empirical distributions of log-returns time series are skewed and leptokurtic (fat-tailed). Therefore there are various models which have been introduced that resort to an alternative non-Gaussian assumption. Since the skewness defines the asymmetry of the distribution, it has a significant impact on the shape of the tails. Kurtosis is another parameter of interest under the alternative non-Gaussian fat-tailed assumption. As a result, it is crucial to model skewness and kurtosis as accurately as possible, also considering changes over time.

Entropic reasoning applied to option pricing has been successfully developed mainly after 1999. According to Gulko (1999), the Entropy Pricing Theory suggests that, in informational efficient markets, perfectly uncertain market beliefs must prevail. When the entropy functional is used to index the market uncertainty, then the entropy-maximizing market beliefs must prevail. On optimizing various entropic measures one can derive new stock option pricing models that are similar to Black-Scholes with the log-normal distribution replaced by other probability distributions.

In the first part of the thesis (Chapter 1-4) our original research consists in the evaluation of kurtosis for several financial time series models. First we discuss the Black-Scholes model with GARCH volatility, both for "In The Money" (ITM) and "At The Money" (ATM) options. Then we extend the results to the case of doubly stochastic volatility models with asymmetric GARCH innovations such as AGARCH and TGARCH. New results for the mean, variance and kurtosis of the nonlinear volatility models are also obtained. An empirical study is performed in order to compare fitting different models for various real-life stock indexes. We compare models with GARCH, EGARCH, IGARCH, GJR-GARCH, or APARCH innovations.

In the second part of the thesis (Chapter 5-9) we take up the new framework of entropic reasoning applied to option pricing. According to Stutzer (2000), the novelty of this approach lies in the straightforward use to compute the Black-Scholes martingale measure as the product of the relative entropy minimizing conditional risk-neutral probabilities in the return process. Using the entropic reasoning Gulko (1996, 1997) prescribed the risk-free mean and the actual variance to derive the risk-neutral log-normal price distribution, to derive the Black-Scholes formula as a riskless discounted value of the option's payoff at expiration.

We extend Gulko's result by using several entropic measures such as Tsallis, Weighted Tsallis, Kaniadakis, Weighted Kaniadakis, Renyi and Weighted Renyi as objective functions in the new optimization problems defined. We use the obtained risk-neutral price distributions to evaluate the European Call and Put options on a dividend protected stocks. We use some new entropic measures Ubriaco (2009) and Shafee (2007) as optimization objectives subject to traditional constraints in order to construct new risk-neutral price distribution.

The entropic reasoning allows us to approach two different ways of quantifying the statistical heterogeneity of risk-neutral price distribution: entropy-which measures the law's randomness and Gini's index- which measures the law's egalitarianism (or evenness). Two complementary problems are addressed: entropy maximization for specified Gini index value and Gini maximization for specified Shannon entropy. The solutions are presented in terms of Reccatii equations.

Finally, we take up the very recent approach of Hunt and Devolder (2011) for the semi-Markov regime switching interest rate models. The authors discuss a discrete time regime switching binormal-like model of the term structure where the regime switches are governed by a discrete time semi-Markov process. Under market incompleteness, they give an explicit characterization of the minimal entropy martingale measure. We extend the Hunt and Devolder results on using Tsallis and Kaniadakis entropies, as well as Shafee entropy based on Lambert function-to indentify the minimal entropy martingale measures and to find the corresponding risk-neutral price distributions.

Chapter 1

GARCH Modelling

1.1 GARCH Models and Volatility

1.1.1 Generalized Autoregressive Conditional Heteroskedastic Model

Definition 1 [7] *The simplest possibility to write ARCH/GARCH models mathematically is as follows respectively.*

$$\sigma_t^2 = \omega + \sum_{i=1}^p \alpha_i \varepsilon_{t-i}^2, \omega > 0, \alpha_i \geq 0$$

$$\varepsilon_t = \sigma_t z_t, \quad z_t \sim N(0, 1)$$

In ARCH framework σ_t is a time varying, positive and measurable function of time $t - 1$. A generalized form of ARCH model for a univariate time series X_t is called GARCH and it can be written as follows.

$$\sigma_t^2 = \omega + \sum_{i=1}^p \alpha_i \varepsilon_{t-i}^2 + \sum_{j=1}^q \beta_j \sigma_{t-j}^2, \omega > 0, \alpha_i \geq 0, \beta_j \geq 0$$

$$\varepsilon_t = \sigma_t z_t, \quad z_t \sim N(0, 1)$$

1.1.2 IGARCH Model

Definition 2 [7] *Integrated GARCH or IGARCH processes are designed to model persistent changes in the volatility. A GARCH process is stationary with a finite variance if $\sum_{i=1}^p \alpha_i + \sum_{j=1}^q \beta_j < 1$. A*

GARCH (p,q) process is called IGARCH process if $\sum_{i=1}^p \alpha_i + \sum_{j=1}^q \beta_j = 1$.

1.1.3 EGARCH Model

Definition 3 [109] *An EGARCH model is defined by:*

$$\log \sigma_t^2 = \omega + \sum_{i=1}^p \alpha_i g(z_{t-i}) + \sum_{j=1}^q \beta_j \log \sigma_{t-j}^2$$
$$g(z_{t-i}) = \theta z_{t-i} + \lambda^* (|z_{t-i}| - E|z_{t-i}|)$$

where $\omega, \alpha_i, \beta_j, \theta$ and λ^* are real parameters and both z_{t-i} and $|z_{t-i}| - E|z_{t-i}|$ are zero mean and identically independently distributed with continuous distributions. Therefore we can write

$E(g(z_{t-i})) = 0$. We may rewrite $g(z_{t-i})$ as follows:

$$g(z_{t-i}) = \begin{cases} (\theta + \lambda^*) z_{t-i} - \lambda^* (E |z_{t-i}|) & \text{if } z_{t-i} \geq 0 \\ (\theta - \lambda^*) z_{t-i} - \lambda^* (E |z_{t-i}|) & \text{if } z_{t-i} \leq 0 \end{cases}$$

1.1.4 GJR-GARCH Model

Definition 4 [55, 165] *The GJR-GARCH and TGARCH models are defined by.*

$$\sigma_t^2 = \omega + \sum_{i=1}^p (\alpha_i + \gamma I_{t-i}) \varepsilon_{t-i}^2 + \sum_{j=1}^q \beta_j \sigma_{t-j}^2$$

where $I_t = 1$ if $\varepsilon_t < 0$ and $I_t = 0$ if $\varepsilon_t \geq 0$.

1.1.5 APARCH Model

Definition 5 [35] *The asymmetric power ARCH models are defined as follows.*

$$\begin{aligned} \sigma_t^\delta &= \omega + \sum_{i=1}^p \alpha_i (|\varepsilon_{t-i}| - \gamma \varepsilon_{t-i})^\delta + \sum_{i=1}^q \beta_i \sigma_{t-i}^\delta, i = 1, 2, \dots \\ \varepsilon_t &= \sigma_t z_t, z_t \sim N(0, 1) \\ g(\varepsilon_{t-i}) &= |\varepsilon_{t-i}| - \gamma \varepsilon_{t-i} \end{aligned}$$

1.2 GARCH Models and Entropy Measures

1.2.1 Problem of Kaniadakis Entropy Measure

Theorem 6 *Consider the optimization problem:*

$$\max H(g) = E^g \left[\frac{g(\mathcal{X})^{k-1} - g(\mathcal{X})^{-k-1}}{2k} \right], k \neq 0$$

subject to

$$E^g(1 | \mathcal{F}_{t-1}) = 1 \tag{c-1}$$

$$E^g(\mathcal{X} | \mathcal{F}_{t-1}) = \mu \tag{c-2}$$

$$E^g((\mathcal{X} - \mu)^2 | \mathcal{F}_{t-1}) = \sigma_t^2 \tag{c-3}$$

Then the solution of the optimization problem is given by:

$$g = g(s_t) = \left(\frac{k(\lambda_0 + \lambda_1 \mu + \lambda_2 \sigma_t^2) + \sqrt{k^2 \left((\lambda_0 + \lambda_1 \mu + \lambda_2 \sigma_t^2)^2 - 1 \right) + 1}}{k + 1} \right)^{\frac{1}{k}}$$

1.2.2 Problem of Renyi Entropy Measure

Theorem 7 Consider the optimization problem:

$$\max H(g) = \frac{1}{1-r} \log E^g [g^{r-1}(\mathcal{X})], r \neq 1$$

subject to c-1, c-2 and c-3 of previous problem. Then the solution of maximum entropy density in functional form is given by:

$$g(s_t) = \frac{\left[1 - \frac{1-r}{r} (\beta_1 (\mu - s_t) - \beta_2 (\sigma_t^2 - s_t^2))\right]^{\frac{1}{r-1}}}{\int_0^\infty \left[1 - \frac{1-r}{r} (\beta_1 (\mu - s_t) - \beta_2 (\sigma_t^2 - s_t^2))\right]^{\frac{1}{r-1}} ds_t}$$

1.2.3 Problem of Shafee Entropy Measure

Theorem 8 Consider the optimization problem:

$$\max H(g) = -E^g [g^{a-1}(\mathcal{X}) \ln g(\mathcal{X})], a > 0$$

subject to c-1, c-2 and c-3 of previous problem.

Then of solutions of $g(s_t)$ is given by:

$$g(s_t) = \left[\frac{aW(\gamma)(1-a) \exp\left\{-\left(\frac{1-a}{a}\right)\right\}}{\gamma(1-a)} \right]^{\frac{1}{1-a}}$$

where W is a Lambert function and $\gamma = \lambda_0 + \lambda_1\mu + \lambda_2\sigma_t^2$, $\lambda_0, \lambda_1, \lambda_2$ are the Lagrange multipliers which can be determined using some specified constraints. An alternate solution can be written as:

$$g(s_t) = (\psi')^{-1}(\lambda_0 + \lambda_1\mu + \lambda_2\sigma_t^2)$$

1.2.4 Problem of Ubrico Entropy Measure

Theorem 9 Consider the optimization problem:

$$\max H(g) = -E^g \left(\ln \frac{1}{g(\mathcal{X})} \right)^d, d > 0$$

subject to c-1, c-2 and c-3 of previous problem.

Then the solution for $g(x)$ can be written as:

$$g(s_t) = (\psi')^{-1}(\lambda_0 + \lambda_1\mu + \lambda_2\sigma_t^2)$$

Chapter 2

Option Pricing and GARCH Volatility

2.1 Black-Scholes Model with GARCH Volatility

The call option for this model can be written as:

$$C = SE_{\theta_t} \left[\phi \left(\frac{\log(\frac{S}{K}) + \mathbf{r}T + \frac{1}{2}\theta_t^2}{\theta_t} \right) \right] - Ke^{-\mathbf{r}T} E_{\theta_t} \left[\phi \left(\frac{\log(\frac{S}{K}) + \mathbf{r}T - \frac{1}{2}\theta_t^2}{\theta_t} \right) \right] \quad (2.9)$$

$$C = SE_{\theta_t} [\phi(d_1)] - Ke^{-\mathbf{r}T} E_{\theta_t} [\phi(d_2)] \quad (2.10)$$

The put option for this model can be written as:

$$P = Ke^{-\mathbf{r}T} E_{\theta_t} [\phi(-d_2)] - SE_{\theta_t} [\phi(-d_1)] \quad (2.11)$$

Theorem 10 [59] *For any twice differentiable functions $f(x)$ and $g(x)$, the call price (3.10) can be written as:*

$$C = S \left(f[E(\theta_t^2)] + \frac{1}{2} f''[E(\theta_t^2)] \left(\frac{1}{3} k^{(y)} - 1 \right) E^2(\theta_t^2) \right) - Ke^{-\mathbf{r}T} \left(g[E(\theta_t^2)] + \frac{1}{2} g''[E(\theta_t^2)] \left(\frac{1}{3} k^{(y)} - 1 \right) E^2(\theta_t^2) \right) \quad (2.12)$$

where $k^{(y)} = \frac{E(y_t^4)}{E^2(y_t^2)}$, the kurtosis of the observed logreturn y_t . We also have:

$$f[E(\theta_t^2)] = \phi \left(\frac{\log(\frac{S}{K}) + \mathbf{r}T + \frac{1}{2} E(\theta_t^2)}{\sqrt{E(\theta_t^2)}} \right) \quad (2.13)$$

$$g[E(\theta_t^2)] = \phi \left(\frac{\log(\frac{S}{K}) + \mathbf{r}T - \frac{1}{2} E(\theta_t^2)}{\sqrt{E(\theta_t^2)}} \right) \quad (2.14)$$

2.2 Kurtosis in BS-Model with GARCH Volatility.

2.2.1 In The Money Option (ITM)

Theorem 11 For any twice differentiable functions $f(x)$ and $g(x)$, the call price can be written as:

$$C = S \left(f[E(\theta_t^2)] + \frac{1}{2} f''[E(\theta_t^2)] \left(\frac{1}{3} k^{(y)} - 1 \right) E^2(\theta_t^2) \right) - K e^{-rT} \left(g[E(\theta_t^2)] + \frac{1}{2} g''[E(\theta_t^2)] \left(\frac{1}{3} k^{(y)} - 1 \right) E^2(\theta_t^2) \right)$$

where $k^{(y)} = \frac{E(y_t^4)}{E^2(y_t^2)}$, the kurtosis of the observed logreturn y_t . We can find the kurtosis $k^{(y)}$ as:

$$k^{(y)} = \left(\frac{1536\sqrt{2\pi}Cx^3\sqrt{x} - 768(\sqrt{2\pi} + 2)(S - X)x^4}{F(x)} \right) + 3$$

where C is value of call option, x is volatility, S is stock price, K is strike price, r is interest rate, T is time to expiry, $u = \log\left(\frac{S}{K}\right) + rT$ and

$$F(x) = [16u^4(S - X) - 64u^3(S + X)]x + [(32u^2 - 96u^3)(S - X)]x^2 + [(196u - 8u^2)(S - X) + (16u + 100u^2)(S + X)]x^3 - [(32 - 2u)(S + X) + (8 + 8u)(S - X)]x^4 + [3(S - X)]x^5 + 32u^5(S + X)$$

2.2.2 At The Money Option (ATM)

Theorem 12 Consider case-2 when stock price S and strike price K are identical i.e. $S = K$ and $r = 0$ also if $E(\theta_t^2) = x$, then we can write as follows:

$$f(x) = \phi(d_1) = \phi\left(\frac{\sqrt{x}}{2}\right), \quad g(x) = \phi(d_2) = \phi\left(\frac{-\sqrt{x}}{2}\right)$$

Then we have following results:

$$1. f''(x) = \frac{1}{\sqrt{2\pi}} e^{-\frac{x}{8}} \left[\frac{-1}{8x\sqrt{x}} - \frac{1}{32\sqrt{x}} \right]$$

$$2. g''(x) = \frac{1}{\sqrt{2\pi}} e^{-\frac{x}{8}} \left[\frac{1}{8x\sqrt{x}} + \frac{1}{32\sqrt{x}} \right]$$

and we have the kurtosis $k^{(y)}$ given by:

$$k^{(y)} = \frac{96 \left(\sqrt{\frac{2\pi}{x}} \frac{C}{S} - 1 \right)}{(x - 4)(x + 8)} + 3$$

2.2.3 A Simple Case for ATM and ITM Options

Theorem 13 Consider the call option of BS-model with GARCH volatility as follows:

$$C = SE_{\theta_t}[\phi(d_1)] - Ke^{-rT}E_{\theta_t}[\phi(d_2)]$$

where

$$E_{\theta_t}[\phi(d_1)] = \phi \left[\frac{\log(\frac{S}{K}) + rT + \frac{1}{2}E(\theta_t^2)}{\sqrt{E(\theta_t^2)}} \right]$$

$$E_{\theta_t}[\phi(d_2)] = \phi \left[\frac{\log(\frac{S}{K}) + rT - \frac{1}{2}E(\theta_t^2)}{\sqrt{E(\theta_t^2)}} \right]$$

Then we have following results:

1. In the case of BS-model with GARCH volatility for ITM i.e $S \neq K$, the implied volatility $v = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ where $a = (S + X)$, $b = \sqrt{2\pi}[(S - X) - 2C]$ and $c = 2H(S - X)$ and $X = Ke^{-rT}$, $H = \log(\frac{S}{K}) + rT$
2. In the case of ATM i.e $S = K$, we have $v = \frac{-b}{a}$, $b = \sqrt{2\pi}[(S - X) - 2C]$, $a = (S + X)$, and $X = Ke^{-rT}$
3. We have same results for original Black-Scholes model for above two cases but the value of call option in under GARCH volatility is more significant.

Chapter 3

Doubly Stochastic Models with GARCH process

3.1 Doubly Stochastic Models with AGARCH and TGARCH Errors

Theorem 14 [132] *Consider a doubly stochastic model of the following form with TGARCH(1,1) errors*

$$\begin{aligned} y_t &= (\phi + b_t)y_{t-1} + \varepsilon_t \\ b_{t+1} &= ab_t + (1 + b_t)v_{t+1} \\ \varepsilon_t &= \sigma_t z_t \\ \sigma_t &= \omega + \alpha_{1,+}\varepsilon_{t-1}^+ - \alpha_{1,-}\varepsilon_{t-1}^- + \beta_1\sigma_{t-j} \end{aligned}$$

Then we have following results.

1. $E(y_t^2) = \frac{\omega^2\sigma_z^2(1+a_1)(1-a^2-\sigma_v^2)}{(1-a_1)(1-a_2)(1-a^2-2\sigma_v^2-\phi^2+\phi^2a^2+\phi^2\sigma_v^2)}$
2. $E(y_t^4) = \frac{3\sigma_z^4\omega^4 \frac{(1+3a_1+5a_2+3a_1a_2+3a_3+5a_1a_3+3a_2a_3+a_1a_2a_3)}{(1-a_1)(1-a_2)(1-a_3)} + 6\omega^4\sigma_z^4(1+a_1)^2[\phi^2(1-a^2)+\sigma_v^2(1-\phi^2)]}{(1-a_1)^2(1-a_2)^2(1-a^2-2\sigma_v^2-\phi^2+\phi^2a^2+\phi^2\sigma_v^2)} + \frac{1 - \phi^4 - 3\sigma_v^4 \left[\frac{(-1-a^2-5\sigma_v^2+a^3+a^5-16a^3\sigma_v^2+3a\sigma_v^2-9a\sigma_v^4)}{(-1+a^3+3a\sigma_v^2)(-1+a^2+\sigma_v^2)(-1+6a^2\sigma_v^2+a^4+3\sigma_v^4)} \right] - 6\phi^2 \left[\frac{\sigma_v^2}{(1-a^2-\sigma_v^2)} \right] - 4\phi 6a \left[\frac{\sigma_v^4}{(1-a^3-3a\sigma_v^2)(1-a^2-\sigma_v^2)} \right]}{1 - \phi^4 - 3\sigma_v^4 \left[\frac{(-1-a^2-5\sigma_v^2+a^3+a^5-16a^3\sigma_v^2+3a\sigma_v^2-9a\sigma_v^4)}{(-1+a^3+3a\sigma_v^2)(-1+a^2+\sigma_v^2)(-1+6a^2\sigma_v^2+a^4+3\sigma_v^4)} \right] - 6\phi^2 \left[\frac{\sigma_v^2}{(1-a^2-\sigma_v^2)} \right] - 4\phi 6a \left[\frac{\sigma_v^4}{(1-a^3-3a\sigma_v^2)(1-a^2-\sigma_v^2)} \right]}$
3. The Kurtosis of the process follows the definition $K^{(y)} = \frac{E(y_t^4)}{[E(y_t^2)]^2}$

Theorem 15 [131] *Consider the following doubly stochastic time series with conditions 1,2 and 3 as:*

$$\begin{aligned} y_t &= (\phi + b_t)y_{t-1} + \varepsilon_t + \theta\varepsilon_{t-1} \\ b_{t+1} &= ab_t + (1 + b_t)v_{t+1} \end{aligned}$$

1. $\begin{pmatrix} v_t \\ \varepsilon_t \end{pmatrix} \sim N \left(\begin{pmatrix} 0 \\ 0 \end{pmatrix}, \begin{pmatrix} \sigma_v^2 & 0 \\ 0 & \sigma_\varepsilon^2 \end{pmatrix} \right)$
2. $1 - a^2 - \sigma_v^2 < 1$

$$3. 1 - a^2 - 2\sigma_v^2 - \phi^2 + \phi^2 a^2 + \phi^2 \sigma_v^2 < 1$$

where ε_t is an identically distributed independent sequence of variables with mean zero and variance σ_ε^2 then we have results for $E(y_t^2)$, $E(y_t^4)$ and Kurtosis as follows.

$$1. E(y_t^2) = \frac{\omega^2 \sigma_\varepsilon^2 (1+\theta^2)(1-a^2-\sigma_v^2)}{(1-a^2-2\sigma_v^2-\phi^2+\phi^2 a^2+\phi^2 \sigma_v^2)}$$

$$2. E(y_t^4) = \frac{3\sigma_\varepsilon^4(1+6\theta^2+\theta^4)+6\sigma_\varepsilon^2(1+\theta^2)[(\phi^2+E(b_t^2))E(y_{t-1}^2)]}{1-\phi^4-E(b_t^4)-6\phi^2 E(b_t^2)-4\phi E(b_t^3)}$$

$$3. \text{The Kurtosis of the process follows the definition } K^{(y)} = \frac{E(y_t^4)}{[E(y_t^2)]^2}$$

Theorem 16 [132] Consider a doubly stochastic model of the following form with TGARCH(1,1)

:

$$\begin{aligned} y_t &= (\phi + b_t)y_{t-1} + \varepsilon_t + \theta\varepsilon_{t-1} \\ b_{t+1} &= ab_t + (1 + b_t)v_{t+1} \\ \varepsilon_t &= \sigma_t z_t \\ \sigma_t &= \omega + \alpha_{1,+}\varepsilon_{t-1}^+ - \alpha_{1,-}\varepsilon_{t-1}^- + \beta_1\sigma_{t-j} \end{aligned}$$

Then we have following results.

$$1. E(y_t^2) = \frac{\omega^2 \sigma_z^2 (1+\theta^2)(1+a_1)(1-a^2-\sigma_v^2)}{(1-a_1)(1-a_2)(1-a^2-2\sigma_v^2-\phi^2+\phi^2 a^2+\phi^2 \sigma_v^2)}$$

$$2. E(y_t^4) = \frac{3\sigma_z^4 \omega^4 \frac{(1+3a_1+5a_2+3a_1a_2+3a_3+5a_1a_3+3a_2a_3+a_1a_2a_3)}{(1-a_1)(1-a_2)(1-a_3)} (1+6\theta^2+\theta^4) + 6\omega^4 \sigma_z^4 (1+\theta^2)^2 (1+a_1)^2 [\phi^2(1-a^2)+\sigma_v^2(1-\phi^2)]}{(1-a_1)^2 (1-a_2)^2 (1-a^2-2\sigma_v^2-\phi^2+\phi^2 a^2+\phi^2 \sigma_v^2)} \frac{1 - \phi^4 - 3\sigma_v^4 \left[\frac{(-1-a^2-5\sigma_v^2+a^3+a^5-16a^3\sigma_v^2+3a\sigma_v^2-9a\sigma_v^4)}{(-1+a^3+3a\sigma_v^2)(-1+a^2+\sigma_v^2)(-1+6a^2\sigma_v^2+a^4+3\sigma_v^4)} \right] - 6\phi^2 \left[\frac{\sigma_v^2}{(1-a^2-\sigma_v^2)} \right] - 4\phi 6a \left[\frac{\sigma_v^4}{(1-a^3-3a\sigma_v^2)(1-a^2-\sigma_v^2)} \right]}{1 - \phi^4 - 3\sigma_v^4 \left[\frac{(-1-a^2-5\sigma_v^2+a^3+a^5-16a^3\sigma_v^2+3a\sigma_v^2-9a\sigma_v^4)}{(-1+a^3+3a\sigma_v^2)(-1+a^2+\sigma_v^2)(-1+6a^2\sigma_v^2+a^4+3\sigma_v^4)} \right] - 6\phi^2 \left[\frac{\sigma_v^2}{(1-a^2-\sigma_v^2)} \right] - 4\phi 6a \left[\frac{\sigma_v^4}{(1-a^3-3a\sigma_v^2)(1-a^2-\sigma_v^2)} \right]}$$

$$3. \text{The Kurtosis of the process follows from its definition } K^{(y)} = \frac{E(y_t^4)}{[E(y_t^2)]^2}$$

Theorem 17 [132] Consider a doubly stochastic model of the following form with TGARCH(1,1) errors as:

$$\begin{aligned} y_t &= (\phi + b_t + \Phi s_t)y_{t-1} + \varepsilon_t + \theta\varepsilon_{t-1} \\ b_{t+1} &= ab_t + (1 + b_t)v_{t+1} \\ \varepsilon_t &= \sigma_t z_t \\ \sigma_t &= \omega + \alpha_{1,+}\varepsilon_{t-1}^+ - \alpha_{1,-}\varepsilon_{t-1}^- + \beta_1\sigma_{t-j} \end{aligned}$$

Then we have following results.

$$1. E(y_t^2) = \frac{\omega^2 \sigma_z^2 (1+\theta^2)(1+a_1)(1-a^2-\sigma_v^2)}{(1-a_1)(1-a_2)(1-a^2-2\sigma_v^2-\Phi^2+\Phi^2 a^2+\Phi^2 \sigma_v^2-\phi^2+\phi^2 a^2+\phi^2 \sigma_v^2)}$$

$$2. E(y_t^4) = \frac{3\sigma_z^4 \omega^4 (1+\theta^4+6\theta^2) \frac{(1+3a_1+5a_2+3a_1a_2+3a_3+5a_1a_3+3a_2a_3+a_1a_2a_3)}{(1-a_1)(1-a_2)(1-a_3)} + 6\sigma_z^4 \omega^4 (1+\theta^2)^2 (1+a_1)^2 [(\phi^2+\Phi^2)[(1-a^2-\sigma_v^2)+\sigma_v^2]}{(1-a_1)^2 (1-a_2)^2 (1-a^2-2\sigma_v^2-\Phi^2+\Phi^2 a^2+\Phi^2 \sigma_v^2-\phi^2+\phi^2 a^2+\phi^2 \sigma_v^2)}}{1 - \phi^4 - 3\sigma_v^4 \left[\frac{(-1-a^2-5\sigma_v^2+a^3+a^5-16a^3\sigma_v^2+3a\sigma_v^2-9a\sigma_v^4)}{(-1+a^3+3a\sigma_v^2)(-1+a^2+\sigma_v^2)(-1+6a^2\sigma_v^2+a^4+3\sigma_v^4)} \right] - 6(\phi^2 + \Phi^2) \left[\frac{\sigma_v^2}{(1-a^2-2\sigma_v^2)} \right] - \Phi^4 - 6\phi^2 \Phi^2}$$

3. The Kurtosis of the process follows from its definition $K^{(y)} = \frac{E(y_t^4)}{[E(y_t^2)]^2}$

Theorem 18 [131] Consider the doubly stochastic volatility process with AGARCH(I)-(0,1) errors of the following form:

$$\begin{aligned} y_t &= (\phi + b_t)y_{t-1} + \varepsilon_t \\ b_{t+1} &= ab_t + (1 + b_t)v_{t+1} \\ \varepsilon_t &= \sigma_t z_t \\ \sigma_t^2 &= \omega + \alpha (\varepsilon_{t-1} + r)^2 \end{aligned}$$

Then we have following results

$$1. E(y_t^2) = \frac{\sigma_z^2(\omega + \alpha r^2)(1 - a^2 - \sigma_v^2)}{[1 - \alpha\sigma_z^2](1 - a^2 - 2\sigma_v^2 - \phi^2 + \phi^2 a^2 + \phi^2 \sigma_v^2)}$$

$$2. E(y_t^4) = \frac{3\sigma_z^4 E(\sigma_t^4) + 6\sigma_z^2 E(\sigma_t^2) (E(b_t^2) + \phi^2) E(y_{t-1}^2)}{1 - \phi^4 - E(b_t^4) - 6\phi E(b_t^2) - 4\phi E(b_t^3)}$$

3. The Kurtosis of the process follows from its definition $K^{(y)} = \frac{E(y_t^4)}{[E(y_t^2)]^2}$

Theorem 19 [131] Consider the doubly stochastic volatility process with AGARCH(I)-(0,1) errors of the following form:

$$\begin{aligned} y_t &= (\phi + b_t)y_{t-1} + \varepsilon_t + \theta\varepsilon_{t-1} \\ b_{t+1} &= ab_t + (1 + b_t)v_{t+1} \\ \varepsilon_t &= \sigma_t z_t \\ \sigma_t^2 &= \omega + \alpha (\varepsilon_{t-1} + r)^2 \end{aligned}$$

Then we have following results

$$1. E(y_t^2) = \frac{\sigma_z^2(\omega + \alpha r^2)(1 - a^2 - \sigma_v^2)}{[1 - (\alpha\sigma_z^2 + \theta)](1 - a^2 - 2\sigma_v^2 - \phi^2 + \phi^2 a^2 + \phi^2 \sigma_v^2)}$$

$$2. E(y_t^4) = \frac{3\sigma_z^4 E(\sigma_t^4) + 6\sigma_z^2 E(\sigma_t^2) (E(b_t^2) + \phi^2) E(y_{t-1}^2)}{1 - \phi^4 - E(b_t^4) - 6\phi E(b_t^2) - 4\phi E(b_t^3)}$$

3. The Kurtosis of the process follows from its definition $K^{(y)} = \frac{E(y_t^4)}{[E(y_t^2)]^2}$

Theorem 20 [131] Consider the doubly stochastic volatility process with AGARCH(I)-(0,1) errors of the following form:

$$\begin{aligned} y_t &= (\phi + b_t + \Phi s_t)y_{t-1} + \varepsilon_t + \theta\varepsilon_{t-1} \\ b_{t+1} &= ab_t + (1 + b_t)v_{t+1} \\ \varepsilon_t &= \sigma_t z_t \\ \sigma_t^2 &= \omega + \alpha (\varepsilon_{t-1} + r)^2 \end{aligned}$$

Then we have following results:

$$1. E(y_t^2) = \frac{\sigma_z^2(1 + \theta^2)(\omega + \alpha r^2)(1 - a^2 - \sigma_v^2)}{(1 - \alpha\sigma_z^2)(1 - a^2 - 2\sigma_v^2 - \Phi^2 + \Phi^2 a^2 + \Phi^2 \sigma_v^2 - \phi^2 + \phi^2 a^2 + \phi^2 \sigma_v^2)}$$

$$2. E(y_t^4) = \frac{3\sigma_z^4(1 + 6\theta^2 + \theta^4) + 6\sigma_z^2(1 + \theta^2)[(\phi^2 + \Phi^2 + E(b_t^2))]E(y_{t-1}^2)}{1 - \phi^4 - 3E(b_t^4) - 6(\phi^2 + \Phi^2)E(b_t^2) - \Phi^4 - 6\phi^2\Phi^2}$$

3. The Kurtosis of the process follows from its definition $K^{(y)} = \frac{E(y_t^4)}{[E(y_t^2)]^2}$

Chapter 4

Data Analysis

4.1 Model Selection

In this section we provide our numerical results for the best fitted GARCH selected models for the underlying indexes.

TABLE 4.1 Results for NL, AUS and SG Indexes Monthly (Weekly)

Index	Model	Distribution	AIC	BIC	SIC	HQIC	L
NL	APARCH	SGED	-3.140	-2.947	-3.147	-3.062	259.68
	EGARCH	JSU	-3.091	-2.917	-3.020	-3.097	254.77
	(EGARCH)	SSTD	-4.4193	-4.3603	-4.4197	-4.3965	1538.0
	(APARCH)	JSU	-4.428	-4.362	-4.402	-4.428	1542.0
SG	IGARCH	SSTD	-3.871	-3.697	-3.877	-3.800	316.74
	IGARCH	JSU	-3.124	-2.989	-3.069	-3.128	255.40
AUS	EGARCH	SGED	-3.121	-2.986	-3.124	-3.066	255.13
	EGARCH	JSU	-3.856	-3.683	-3.786	-3.862	315.62

We use short notation for the models as APA for APARCH, EG is EGARCH, IG is IGARCH and SGED for skew generalized error distribution, JSU for Johnson reparametrized distribution and SSTD for skew student-t distribution[133].

TABLE 4.2 Parametric Estimations Results NL, SG and AUS Monthly (Weekly)

Index	Model	Dist	μ	ω	α_1	β_1	γ_1	δ	Skew	AR-1	MA-1
NL	APA	SGED	-0.002	0.0	0.05	0.84	0.99	0.09	0.40	0.9	0.9
	EG	JSU	-0.000	-0.4	-0.33	0.92	0.13		-18.7	0.8	-0.7
	(EG)	SSTD	0.000	-0.5	-0.24	0.93	0.16		0.72	-0.8	0.8
	(APA)	JSU	0.000	0.0	0.11	0.87	1.00	0.62	-2.29	-0.8	0.8
SG	IG	SSTD	0.006	0.0	0.22	0.77			0.66	0.5	-0.4
	IG	JSU	0.006	0.0	0.22	0.77			-0.80	0.5	-0.4
AUS	EG	SGED	0.004	-0.7	-0.18	0.88	0.10		0.52	0.7	-0.6
	EG	JSU	0.003	-0.7	-0.19	0.89	0.07		-19.7	0.7	-0.6

4.1.1 The Nyblom Test Statistics

TABLE 4.3 Nyblom Statistics Results NL, SG and AUS Monthly (Weekly)

Index	Model	Dist	μ	ω	α_1	β_1	γ_1	δ	Skew	AR-1	MA-1
NL	APA	SGED	1.05	0.16	0.16	0.16	0.16	0.16	0.27	1.6	1.7
	EG	JSU	0.17	0.15	0.06	0.14	0.65		0.45	0.09	0.11
	(EG)	SSTD	0.27	0.18	0.06	0.18	0.07		0.02	0.14	0.14
	(APA)	JSU	0.19	0.11	0.13	0.12	NA	0.11	0.02	0.14	0.16
SG	IG	SSTD	0.10	0.06	0.22	0.05			0.05	0.25	0.23
	IG	JSU	0.13	0.06	0.23				0.05	0.29	0.27
AUS	EG	SGED	0.08	0.24	0.17	0.22	0.06		0.22	0.20	0.27
	EG	JSU	0.11	0.25	0.15	0.23	0.07		0.31	0.18	0.27
Index	Model	Dist	A.C (J.S)			A.C (I.S)			J.S		
			10%	5%	1%	10%	5%	1%			
NL	APA	SGED	2.29	2.54	3.05	0.35	0.47	0.75	4.4		
	EG	JSU	2.1	2.32	2.82	0.35	0.47	0.75	1.03		
	(EG)	SSTD	2.1	2.32	2.82	0.35	0.47	0.75	0.93		
	(APA)	JSU	2.29	2.54	3.05	0.35	0.47	0.75	NA		
SG	IG	SSTD	1.69	1.9	2.35	0.35	0.47	0.75	0.88		
	IG	JSU	1.69	1.9	2.35	0.35	0.47	0.75	0.91		
AUS	EG	SGED	2.1	2.32	2.82	0.35	0.47	0.75	1.42		
	EG	JSU	2.1	2.32	2.82	0.35	0.47	0.75	1.01		

4.1.2 Distribution of Simulated Parameters

TABLE 4.4 True vs Simulation Mean EGARCH (SGED) Parameter Distribution

	μ	AR-1	MA-1	ω	α_1
T.C	0.0040000	0.71000	-0.63300	-0.75000	-0.18300
W-2000	0.0039572	0.68829	-0.60967	-0.75081	-0.18497
W-3000	0.0041476	0.69091	-0.61623	-0.73718	-0.18094
W-4000	0.0040695	0.68661	-0.60867	-0.76338	-0.18158
W-5000	0.0040683	0.69241	-0.61360	-0.76100	-0.18428
W-6000	0.0040396	0.70784	-0.63199	-0.74960	-0.18142
	β_1	γ_1	Skew	Shape	
T.C	0.88800	0.10500	0.52400	2.0390	
W-2000	0.88783	0.10236	0.51917	2.0366	
W-3000	0.89002	0.10102	0.52286	2.0335	
W-4000	0.88605	0.10444	0.52339	2.0266	
W-5000	0.88645	0.10317	0.52229	2.0293	
W-6000	0.88809	0.10512	0.52203	2.0326	

TABLE 4.5 True vs Simulation Mean EGARCH (JSU) Parameter Distribution

	μ	AR-1	MA-1	ω	α_1
T.C	0.030000	0.70000	-0.60000	-0.70000	-0.19000
W-2000	0.029809	0.68811	-0.58914	-0.73930	-0.19644
W-3000	0.029827	0.69376	-0.59494	-0.73098	-0.19529
W-4000	0.029933	0.69632	-0.59644	-0.72082	-0.19436
W-5000	0.029930	0.69762	-0.59781	-0.70821	-0.19210
W-6000	0.029919	0.69821	-0.59782	-0.70318	-0.19180

	β_1	γ_1	Skew	Shape
T.C	0.89000	0.070000	19.700	3.0100
W-2000	0.88381	0.063163	12.186	2.9261
W-3000	0.88510	0.066076	11.275	2.9253
W-4000	0.88669	0.067522	11.395	2.9278
W-5000	0.88868	0.067741	11.597	2.9494
W-6000	0.88942	0.068208	10.742	2.9469

4.1.3 GARCH Bootstrap Forecast

TABLE 4.6(a) Australia-EGARCH (SGED) Series Forecast

	Min	q-25	Mean	q-75	Max	Forecast
t+1	-0.10496	-0.013616	0.005360	0.031588	0.061136	0.005335
t+2	-0.18354	-0.014950	0.003275	0.029843	0.083109	0.004969
t+3	-0.15659	-0.014547	0.003647	0.029316	0.076743	0.004708
t+4	-0.20544	-0.014769	0.004507	0.030786	0.080975	0.004523
t+5	-0.15899	-0.014632	0.004043	0.030524	0.093746	0.004392

TABLE 4.6(b) Australia-EGARCH (SGED) σ - Forecast

	Min	q-25	Mean	q-75	Max	Forecast
t+1	0.030701	0.030701	0.030701	0.030701	0.030701	0.030701
t+2	0.027746	0.028807	0.031345	0.032568	0.050103	0.031078
t+3	0.025524	0.027889	0.032027	0.034610	0.077433	0.031417
t+4	0.024239	0.027899	0.032845	0.035573	0.077865	0.031722
t+5	0.023149	0.027899	0.032845	0.036182	0.096704	0.031995

TABLE 4.7(a) Australia-EGARCH (JSU) Series Forecast

	Min	q-25	Mean	q-75	Max	Forecast
t+1	-0.10604	-0.012826	0.004877	0.029199	0.061208	0.005456
t+2	-0.12329	-0.015332	0.003577	0.028795	0.074161	0.005036
t+3	-0.13957	-0.016986	0.002740	0.029779	0.077403	0.004731
t+4	-0.15453	-0.015119	0.003808	0.030384	0.078566	0.004510
t+5	-0.16100	-0.016734	0.003271	0.030902	0.086115	0.004350

TABLE 4.7(b) Australia-EGARCH (JSU) σ – Forecast

	Min	q-25	Mean	q-75	Max	Forecast
t+1	0.031578	0.031578	0.031578	0.031578	0.031578	0.031578
t+2	0.027834	0.029617	0.032166	0.033552	0.050118	0.031921
t+3	0.025096	0.028957	0.032800	0.035172	0.056148	0.032229
t+4	0.023325	0.029132	0.033446	0.036440	0.061437	0.032507
t+5	0.022963	0.029023	0.033787	0.037145	0.070204	0.032756

Chapter 5

Entropy Measures and Stock Options

5.1 Maximum Entropy Problem and Risk-Neutral Density

Theorem 21 [66] *If the prior information set is $I = \{p, S, P, \sigma^2\}$ then risk-neutral density $f(S_T)$ solves the following maximum-entropy problem*

$$\max_g - E^g [\log g(Y_T)] \quad (\text{P-1})$$

subject to

$$E^g [I_{\{Y_T > 0\}}] = 1 \quad (\text{C-1})$$

$$E^g [Y_T] = \frac{S}{P} \quad (\text{C-2})$$

$$E^g [Y_T^2] = \sigma^2 + \left(\frac{S}{P}\right)^2 \quad (\text{C-3})$$

where $g(S_T) > 0$ on the price space p . Then the unique solution of the optimization problem P-1 with constraints C-1, C-2 and C-3 is given by:

$$f(S_T) = \frac{\exp(\lambda_1 S_T + \lambda_2 S_T^2)}{\int_p \exp(\lambda_1 S_T + \lambda_2 S_T^2) dS_T}$$

where λ_1, λ_2 are chosen so that $f(S_T)$ satisfies the price and variance constraints and $f(S_T) > 0$ on the price space p .

Theorem 22 *Consider the maximum entropy problem for the case of weighted entropy, $u > 0$ with constraints C-1, C-2 and C-3 of theorem 52, then we look for the solution of the following problem:*

$$\max_g - E^g [u(Y_T) \log g(Y_T)]$$

Then the unique solution of the optimization problem is given by:

$$f(S_T) = \frac{\exp\left(\frac{\lambda_0 + \lambda_1 S_T + \lambda_2 S_T^2}{u(S_T)}\right)}{\int \exp\left(\frac{\lambda_0 + \lambda_1 S_T + \lambda_2 S_T^2}{u(S_T)}\right)}$$

where $\lambda_0, \lambda_1, \lambda_2$ are chosen so that $f(S_T)$ satisfies the price and variance constraints.

Theorem 23 Consider the case of Tsallis entropy maximization problem with the constraints of the previous theorem, and we look for the solution of risk neutral density $f(S_T)$ of following problem:

$$\max_g - E^g [\log_{\{q\}} g(Y_T)]$$

Then the unique solution of the optimization problem is given by:

$$f(S_T) = \left(\frac{1 + q\lambda_0 + q(\lambda_1 S_T + \lambda_2 S_T^2)}{q + 1} \right)^{\frac{1}{q}}$$

where $\lambda_0, \lambda_1, \lambda_2$ are chosen so that $f(S_T)$ satisfies the price and variance constraints.

Theorem 24 Consider the case of Weighted Tsallis entropy maximization problem, $u > 0$, with the constraints C-1, C-2 and C-3 of the previous theorem, and we look for the solution of risk neutral density $f(S_T)$ of following problem as:

$$\max_g - E^g [u(Y_T) \log_{\{q\}} g(Y_T)]$$

Then the unique solution of the optimization problem is given by:

$$f(S_T) = \left(\frac{u(S_T) + q\lambda_0 + q(\lambda_1 S_T + \lambda_2 S_T^2)}{u(S_T)(q + 1)} \right)^{\frac{1}{q}}$$

where $\lambda_0, \lambda_1, \lambda_2$ are chosen so that $f(S_T)$ satisfies the price and variance constraints.

Theorem 25 Consider the case of Kaniadakis entropy maximization problem with the constraints C-1, C-2 and C-3 of the previous theorem, and we look for the solution of risk neutral density $f(S_T)$ of following problem as:

$$\max_g - E^g [\log_{\{k\}} g(Y_T)]$$

Then the unique solution of the optimization problem is given by:

$$f(S_T) = \left(\frac{k(\lambda_0 + \lambda_1 S_T + \lambda_2 S_T^2) + \sqrt{k^2(\lambda_0 + \lambda_1 S_T + \lambda_2 S_T^2 - 1) + 1}}{k + 1} \right)^{\frac{1}{k}}$$

where $\lambda_0, \lambda_1, \lambda_2$ are chosen so that $f(S_T)$ satisfies the price and variance constraints.

Theorem 26 Consider the case of Weighted Kaniadakis entropy, $u > 0$ with the constraints C-1, C-2 and C-3 of the previous theorem, and we look for the solution of risk neutral density $f(S_T)$ of following problem:

$$\max_g - E^g [u(Y_T) \log_{\{k\}} g(Y_T)]$$

Then the unique solution of the optimization problem is given by:

$$f(S_T) = \left(\frac{k(\lambda_0 + \lambda_1 S_T + \lambda_2 S_T^2) + \sqrt{k^2(\lambda_0 + \lambda_1 S_T + \lambda_2 S_T^2 - (u(S_T))^2) + (u(S_T))^2}}{(k + 1)u(S_T)} \right)^{\frac{1}{k}}$$

where $\lambda_0, \lambda_1, \lambda_2$ are chosen so that $f(S_T)$ satisfies the price and variance constraints.

5.2 Pricing European Call and Put Options

Theorem 27 [Sheraz] *If time to expiry is T , a call option pays $\max(0, S_T - K)$ and put option pays $\max(0, K - S_T)$, where K is the strike price. Then using the linear pricing rule and the risk neutral density $g(S_T)$, the price of European Call and Put are given by:*

$$\begin{aligned} \text{Call} &= S - PK [G(K) - g(K) + g(0) + 1] + P \int_0^K G(S_T) dS_T \\ \text{Put} &= P \int_0^K G(S_T) dS_T \end{aligned}$$

Chapter 6

Statistical Heterogeneity

6.1 Gini's Index and Risk Neutral Density of Maximum Entropy

6.1.1 Shannon's Entropy Problem.

Theorem 28 We consider the risk-neutral density $g(S_T)$ which solves the following maximization problem P-2 subject to conditions C-1, C-2 and C-4 as:

$$\max_g - E^g [\log g(Y_T)] \quad (\text{P-2})$$

subject to

$$E^g [I_{\{Y_T > 0\}}] = 1 \quad (\text{C-1})$$

$$E^g [Y_T] = \frac{S}{P} \quad (\text{C-2})$$

$$E^g \left[\left| Y_T - \frac{S}{P} \right|^r \right] = \delta, \quad r > 0 \quad (\text{C-4})$$

Then we have risk neutral density as follows:

$$g(S_T) = \exp \left[-1 - \lambda_1 - \lambda_2 S_T - \lambda_3 \left| S_T - \frac{S}{P} \right|^r \right]$$

where $\lambda_1, \lambda_2, \lambda_3$ are to be determined by using given constraints.

6.1.2 Gini's Maximization Problems

Theorem 29 Consider the following problem P-3 for:

$$G(S_T) = E^g [I_{\{Y_T > S_T\}}]$$

Then entropy maximization problem is equivalent to the convex optimization problem:

$$\min \int_0^\infty \bar{G}(Y_T)^2 dY_T \quad (\text{P-3})$$

subject to C-1, C-2 and C-4 as given the previous theorem then the solution is :

$$g(S_T) = \frac{\lambda_3}{2} r(r-1) \left| S_T - \frac{S}{P} \right|^r$$

Theorem 30 Consider the following Entropy-Gini-Maximization problem P-4 :

$$\max E^g [\ln g(Y_T)] \quad (\text{P-4})$$

subject to

$$E^g [I_{\{Y_T > 0\}}] = 1 \quad (\text{C-1})$$

$$E^g [Y_T] = \frac{S}{P} \quad (\text{C-2})$$

$$\int_0^\infty G(Y_T^2) dY_T = \delta, \quad r > 0 \quad (\text{C-5})$$

Then G satisfies the following differential equation and c is a constant of integration:

$$G'(S_T) = c - \lambda_2 G(S_T) - \lambda_3 G(S_T)^2$$

The solution of this differential equation is as follows:

$$G(S_T) = \frac{1}{c_3 \exp(-c_1 S_T) + (1 - c_3)}$$

where c_1 and c_3 are positive valued parameters, $c_1 = \frac{\psi(c_3)}{S}$, $\psi(c_3) = \frac{\ln(c_3)}{c_3 - 1}$, $c_1 = -\lambda_2$, $c_3 = -\lambda$

Theorem 31 Consider the following Entropy-Gini-Maximization problem P-5 :

$$\max \int_0^\infty G(Y_T)^2 dY_T \quad (\text{P-5})$$

subject to

$$E^g [I_{\{Y_T > 0\}}] = 1 \quad (\text{C-1})$$

$$E^g [Y_T] = \frac{S}{P} \quad (\text{C-2})$$

$$E^g [\ln g(Y_T)] = \xi \quad (\text{C-6})$$

Then solution satisfies the following differential equation:

$$G'(S_T) = \frac{c}{\lambda_3} - \frac{\lambda_2}{\lambda_3} G(S_T) - \frac{1}{\lambda_3} G(S_T)^2$$

Theorem 32 Consider the optimization problem P-6 :

$$\max D(g) \quad (\text{P-6})$$

subject to

$$E^g [I_{\{-\infty < Y_T < \infty\}}] = 1 \quad (\text{C-1})$$

$$E^g [Y_T] = \frac{S}{P} \quad (\text{C-2})$$

$$E^g \left[\left| Y_T - \frac{S}{P} \right|^r \right] = \delta, \quad r > 0 \quad (\text{C-4})$$

Then we have

$$g(S_T) = -r(r-1)\lambda_3 \left| S_T - \frac{S}{P} \right|^{r-2}, \quad r > 2$$

6.1.3 Shannon's Entropy and Gini's Index

Theorem 33 Consider the optimization problem P-7 :

$$\min E^g [\ln g (Y_T)] \quad (\text{P-7})$$

subject to

$$E^g [I_{\{-\infty < Y_T < \infty\}}] = 1 \quad (\text{C-1})$$

$$E^g [Y_T] = \frac{S}{P} \quad (\text{C-2})$$

$$D(g) = \gamma \quad (\text{C-3})$$

Then solution satisfies the Riccati equation :

$$G'_*(S_T) = \frac{c}{2} - \frac{2\lambda_2 + \lambda_3}{2} G_*(S_T) + \frac{\lambda_3}{2} G_*(S_T)^2$$

Theorem 34 Consider the following optimization problem:

$$\max D(g) \quad (\text{P-8})$$

subject to

$$E^g [I_{\{-\infty < Y_T < \infty\}}] = 1 \quad (\text{C-1})$$

$$E^g [Y_T] = \frac{S}{P} \quad (\text{C-2})$$

$$E^g [\ln g (Y_T)] = \xi \quad (\text{C-6})$$

Then G_* is the solution of following differential equation:

$$y'(S_T) = \frac{c}{2\lambda_3} - \frac{1 + 2\lambda_2}{2\lambda_3} G_>(S_T) + \frac{1}{2\lambda_3} G_>(S_T)^2$$

Chapter 7

Renyi Entropy Problems for Risk Neutral Densities

7.1 Renyi Entropy for Risk Neutral Density Problems

Theorem 35 Consider the case of following Renyi -entropy maximization problem:

$$\max I_r^R [g(S_T)] = \frac{1}{1-r} \ln E^g [g^{r-1}(Y_T)]$$

subject to

$$E^g [I_{\{-\infty < Y_T < \infty\}}] = 1 \quad (C-1)$$

$$E^g [\varphi_i(Y_T)] = c_i, i = 1, ..n \quad (C-2)$$

where $\varphi : p \rightarrow \mathbb{R}$ and $c_1, c_2, ..c_n$ are given real values and p is state space of real line \mathbb{R} . Then the solution of problem is:

$$g(S_T) = \frac{\left[1 - \frac{1-r}{r} \left(\sum_{i=1}^n \beta_i (c_i - \varphi_i(S_T)) \right) \right]^{\frac{1}{r-1}}}{\int_{-\infty}^{\infty} \left[1 - \frac{1-r}{r} \left(\sum_{i=1}^n \beta_i (c_i - \varphi_i(S_T)) \right) \right]^{\frac{1}{r-1}} dS_T}$$

where $\beta_1, \beta_2, ..\beta_n$ are to be determined by given constraints.

Theorem 36 Consider the case of following weighted- Renyi- entropy maximization problem:

$$\max I_r^R [g(S_T)] = \frac{1}{1-r} \ln E^g [u(Y_T) g^{r-1}(Y_T)]$$

subject to

$$E^g [I_{\{-\infty < Y_T < \infty\}}] = 1 \quad (C-1)$$

$$E^g [u(Y_T) \varphi_i(Y_T)] = c_i, i = 1, ..n \quad (C-2)$$

where $\varphi : \mathcal{p} \rightarrow \mathbb{R}$ and c_1, c_2, \dots, c_n are given real values and \mathcal{p} is state space of real line \mathbb{R} . Then the solution is:

$$g(S_T) = \frac{\left[\frac{1 - \frac{1-r}{r} \left(\sum_{i=1}^n \beta_i (c_i - \varphi_i(S_T)) \right)}{u(S_T)} \right]^{\frac{1}{r-1}}}{\int_{-\infty}^{\infty} \left[\frac{1 - \frac{1-r}{r} \left(\sum_{i=1}^n \beta_i (c_i - \varphi_i(S_T)) \right)}{u(S_T)} \right]^{\frac{1}{r-1}} dS_T}$$

where $\beta_1, \beta_2, \dots, \beta_n$ are to be determined by given constraints.

Theorem 37 Consider the case of following Renyi-Entropy maximization problem:

$$\max I_r^R [g(S_T)] = \frac{\ln E^g [u(Y_T) g^{r-1}(Y_T)] - \ln E^g [Y_T]}{1-r}$$

subject to C-1 and C-2 of Theorem 60, then the solution of problem is:

$$g(S_T) = \frac{\left[\frac{1}{r E^g [u(S_T)]} - \frac{\frac{1-r}{r} \left(\sum_{i=1}^n \beta_i (c_i - \varphi_i(S_T)) \right)}{u(S_T)} \right]^{\frac{1}{r-1}}}{\int_{-\infty}^{\infty} \left[\frac{1 - \frac{1-r}{r} \left(\sum_{i=1}^n \beta_i (c_i - \varphi_i(S_T)) \right)}{u(S_T)} \right]^{\frac{1}{r-1}} dS_T}$$

where $\beta_1, \beta_2, \dots, \beta_n$ are to be determined by given constraints.

Theorem 38 Consider the case of following Renyi-entropy maximization problem:

$$\max I_r^R [g(S_T)] = E^g [u(Y_T)] + \frac{1}{1-r} [\ln E^g [u(Y_T) g^{r-1}(Y_T)] - \ln E^g [u(Y_T)]]$$

subject to C-1 and C-2 of Theorem 60, then the solution of problem is:

$$g(S_T) = \frac{\left[\frac{1}{r \left(1 + \sum_{i=1}^n \beta_i + \lambda \right)} - \frac{1-r}{r} + \frac{1-r}{r} \frac{\left(\lambda + \sum_{i=1}^n \beta_i \varphi_i(S_T) \right)}{u(S_T)} \right]^{\frac{1}{r-1}}}{\int_{-\infty}^{\infty} \left[\frac{1}{r \left(1 + \sum_{i=1}^n \beta_i + \lambda \right)} - \frac{1-r}{r} + \frac{1-r}{r} \frac{\left(\lambda + \sum_{i=1}^n \beta_i \varphi_i(S_T) \right)}{u(S_T)} \right]^{\frac{1}{r-1}} dS_T}$$

where $\beta_1, \beta_2, \dots, \beta_n$ are to be determined by given constraints.

Theorem 39 Consider the case of following Weighted-Tsallis -Entropy maximization Problem

$$\max I_q^{T,u} [g(S_T)] = \frac{1}{1-q} E^g [u(Y_T) [g^{q-1}(Y_T) - 1]]$$

subject to C-1 and C-2 of Theorem 60, then the solution of problem is:

$$g(S_T) = \left[\frac{1}{q} + \frac{1-q}{q} \frac{\lambda + \sum_{i=1}^n \beta_i \varphi_i(S_T)}{u(S_T)} \right]^{\frac{1}{q-1}}$$

where $\beta_1, \beta_2, \dots, \beta_n$ are to be determined by given constraints.

Theorem 40 Consider the case of following Weighted utility-Tsallis Entropy maximization Problem:

$$\max I_q^{T,u} [g(S_T)] = E^g [u(Y_T)] + \frac{1}{1-q} E^g [u(Y_T) [g^{q-1}(Y_T) - 1]]$$

subject to C-1 and C-2 of Theorem 60, then the solution of problem is:

$$g(S_T) = \left[1 - \frac{1-q}{q} \frac{\lambda + \sum_{i=1}^n \beta_i \varphi_i(S_T)}{u(S_T)} \right]^{\frac{1}{q-1}}$$

Theorem 41 Consider the case of following Weighted-Kanidakis -Entropy maximization Problem:

$$\max I_k^{K,u} [g(S_T)] = -E^g \left[u(Y_T) \frac{g^k(Y_T) - g^{-k}(Y_T)}{2k} \right]$$

subject to C-1 and C-2 of Theorem 60, then the solution of problem is:

$$g(S_T) = \left[\frac{-2 \left(\lambda + \sum_{i=1}^n \beta_i \varphi_i(S_T) \right) + \sqrt{\left[k \left(\lambda + \sum_{i=1}^n \beta_i \varphi_i(S_T) \right) \right]^2 + (u(S_T))^2 (1-k^2)}}{u(S_T) (1+k)} \right]^{\frac{1}{k}}$$

Theorem 42 Consider the case of following Weighted utility-Kanidakis Entropy maximization Problem

$$\max I_k^{K,u} [g(S_T)] = E^g [u(Y_T)] - E^g \left[u(Y_T) \frac{g^k(Y_T) - g^{-k}(Y_T)}{2k} \right]$$

subject to C-1 and C-2 of Theorem 60, then the solution of problem is:

$$g(S_T) = \left[\frac{-2(u(S_T) - \gamma) + \sqrt{[k(u(S_T) - \gamma)]^2 + (u(S_T))^2 (1-k^2)}}{u(S_T) (1+k)} \right]^{\frac{1}{k}}$$

where $\lambda - \sum_{i=1}^n \beta_i \varphi_i(S_T) = \gamma$

7.2 Pricing European Call and Put Options

Theorem 43 *If time to expiry is T , a call option pays $\max(0, S_T - K)$ and put option pays $\max(0, K - S_T)$, Where K is the strike price. Then using the linear pricing rule and the risk neutral density $g(S_T)$, the price of European Call and Put are given by:*

$$\begin{aligned} \text{Call} &= S - PK [G(K) - g(K) + g(0) + 1] + P \int_0^K G(S_T) dS_T \\ \text{Put} &= P \int_0^K G(S_T) dS_T \end{aligned}$$

Chapter 8

Risk Neutral Densities with New Approaches

8.1 Ubriaco Entropy Measure and Risk-Neutral Densities

8.1.1 New Approach-The Discrete Case

Theorem 44 Consider the following problem with Ubriaco entropy measure

$$\max H_U(p) = \sum_i p_i \left(\ln \frac{1}{p_i} \right)^d$$

subject to

$$\begin{aligned} \sum_{i=1}^n p_i &= 1 \\ \sum_{i=1}^n \varphi_i p_i &= a_i \end{aligned}$$

where $i = 1, \dots, n$, $d > 0$, $p_i \geq 0$ and $\varphi_i \in \mathbb{R}$ and a_1, a_2, \dots, a_n are given real values. Then the solution of the above problem is:

$$p_i = (\psi')^{-1} \left(\lambda + \sum_{i=1}^n \beta_i \varphi_i \right)$$

Theorem 45 For a weighted entropy with $u_i > 0 \forall i$ then we write the new problem :

$$\max H_U(p) = \sum_i u_i p_i \left(\ln \frac{1}{p_i} \right)^d$$

subject to constraints

$$\begin{aligned} \sum_{i=1}^n p_i &= 1 \\ \sum_{i=1}^n \varphi_i p_i &= a_i \end{aligned}$$

where $i = 1, \dots, n$, $d > 0$, $p_i \geq 0$ and $\varphi_i \in \mathbb{R}$ and a_1, a_2, \dots, a_n are given real values. Then the solution of the above problem is:

$$p_i = (\psi')^{-1} \left(\frac{\lambda + \sum_{i=1}^n \beta_i \varphi_i}{u_i} \right)$$

where $\lambda, \beta_1, \beta_2, \dots, \beta_n$ are Lagrange multipliers and can be determined using given constraints.

8.1.2 Main Results with Ubriaco Entropy Measure

Theorem 46 Consider the the following maximum-entropy problem for the case of Ubriaco entropy measure :

$$\max H_U(g(S_T)) = E^g \left[\left(\ln \left(\frac{1}{g(Y_T)} \right) \right)^d \right]$$

subject to

$$E^g \left[I_{\{Y_T > 0\}} \right] = 1 \quad (C-1)$$

$$E^g [Y_T] = \frac{S}{P} \quad (C-2)$$

$$E^g [Y_T^2] = \sigma^2 + \left(\frac{S}{P} \right)^2 = \gamma \quad (C-3)$$

Then the risk neutral density $g(S_T)$ is:

$$g(S_T) = (\psi')^{-1} (\lambda + \beta_1 S_T + \beta_2 S_T^2)$$

where $\lambda, \beta_1, \beta_2$ are to be determined using C-1, C-2 and C-3.

Remark 47 Similarly we can write solution of the above problem for the case of Weighted-Ubriaco entropy, $u(S_T) > 0$ as follows:

$$g(S_T) = (\psi')^{-1} \left(\frac{\lambda + \beta_1 S_T + \beta_2 S_T^2}{u(S_T)} \right)$$

Theorem 48 Consider the case of Ubriaco entropy maximization problem :

$$\max H_U(g(S_T)) = E^g \left[\left(\ln \left(\frac{1}{g(Y_T)} \right) \right)^d \right]$$

subject to

$$E^g \left[I_{\{Y_T > 0\}} \right] = 1 \quad (C-1)$$

$$E^g [Y_T] = \frac{S}{P} \quad (C-2)$$

$$E^g \left[\left| Y_T - \frac{S}{P} \right|^r \right] = \delta, \quad r > 0 \quad (C-3)$$

Then the risk-neutral density $g(S_T)$ as follows:

$$g(S_T) = (\psi')^{-1} \left(\lambda + \beta_1 S_T + \beta_2 \left| S_T - \frac{S}{P} \right|^r \right)$$

where $\lambda, \beta_1, \beta_2$ are to be determined using C-1, C-2 and C-3.

Theorem 49 Consider the case of following Ubriaco entropy problem:

$$\max H_U(g(S_T)) = E^g \left[\left(\ln \left(\frac{1}{g(Y_T)} \right) \right)^d \right]$$

subject to

$$E^g [I_{\{-\infty < Y_T < \infty\}}] = 1 \quad (C-1)$$

$$E^g [\varphi_i(Y_T)] = c_i, \quad i = 1, \dots, n \quad (C-2)$$

where $\varphi_i \in \mathbb{R}$ and c_1, c_2, \dots, c_n are real given values. Then we have solution:

$$g(S_T) = (\psi')^{-1} (\lambda + \beta_1 \varphi_i(S_T))$$

where $\lambda, \beta_1, \beta_2$ are to be determined using C-1, C-2 and C-3

Theorem 50 Consider the case of Ubriaco entropy maximization problem:

$$\max H_U(g(S_T)) = E^g \left[\left(\ln \left(\frac{1}{g(Y_T)} \right) \right)^d \right]$$

subject to

$$E^g [I_{\{Y_T > 0\}}] = 1 \quad (C-1)$$

$$E^g [Y_T] = S_0 e^{rT} \quad (C-2)$$

$$E^g [(S_T - K_0)^+] = C_0 e^{rT} \quad (C-3)$$

where K_0 is the strike price, T is the time to expiry and r is risk-free interest rate. Then the risk-neutral density $g(S_T)$ is:

$$g(S_T) = (\psi')^{-1} (\lambda + \beta_1 S_T + \beta_2 (S_T - K_0)^+)$$

where $\lambda, \beta_1, \beta_2$ are to be determined using C-1, C-2 and C-3

8.2 Shafee Entropy Measure and Risk-Neutral Densities

Theorem 51 Consider the following entropy maximization problem:

$$\max -E^g [g(Y_T)^{a-1} \ln g(Y_T)], \quad a > 0$$

subject to

$$E^g [I_{\{-\infty < Y_T < \infty\}}] = 1 \quad (C-1)$$

$$E^g [\varphi_i(Y_T)] = c_i, \quad i = 1, \dots, n \quad (C-2)$$

where $\varphi_i \in \mathbb{R}$ and c_1, c_2, \dots, c_n are real given values Then the solution is :

$$g(S_T) = \left[\frac{aW \left(\frac{\gamma(1-a)}{a} e^{-\left(\frac{1-a}{a}\right)} \right)}{\left(\alpha + \sum_{i=1}^n \beta_i \varphi_i(S_T) \right) (1-a)} \right]^{\frac{1}{1-a}}$$

where $\alpha, \beta_1, \beta_2, \dots, \beta_n$ are Lagrange multipliers and W is a Lambert function.

8.2.1 New Approach

Theorem 52 Consider the case of Shafee entropy problem:

$$\max -E^g [g(Y_T)^{a-1} \ln g(Y_T)], a > 0$$

subject to

$$E^g [I_{\{-\infty < Y_T < \infty\}}] = 1 \quad (C-1)$$

$$E^g [\varphi_i(Y_T)] = c_i, i = 1, \dots, n \quad (C-2)$$

where $\varphi_i \in \mathbb{R}$ and c_1, c_2, \dots, c_n are real given values. Then the solution is:

$$g(S_T) = (\psi')^{-1} \left(\alpha + \sum_{i=1}^n \beta_i \varphi_i(S_T) \right)$$

Theorem 53 Consider the case of Shafee -entropy problem:

$$\max -E^g [g(Y_T)^{a-1} \ln g(Y_T)], a > 0$$

subject to

$$E^g [I_{\{Y_T > 0\}}] = 1 \quad (C-1)$$

$$E^g [Y_T] = \frac{S}{P} \quad (C-2)$$

$$E^g [Y_T^2] = \sigma^2 + \left(\frac{S}{P} \right)^2 = \gamma \quad (C-3)$$

Then the risk-neutral densities can be written using Lambert function and new approach as follows respectively:

$$g(S_T) = \left[\frac{aW \left(\frac{\gamma(1-a)}{a} e^{-\left(\frac{1-a}{a}\right)} \right)}{\gamma(1-a)} \right]^{\frac{1}{1-a}}$$

$$g(S_T) = (\psi')^{-1} (\lambda + \beta_1 S_T + \beta_2 S_T^2)$$

where $\lambda, \beta_1, \beta_2$ are to be determined using C-1 and C-2 and $\gamma = \lambda + \beta_1 S_T + \beta_2 S_T^2$

Theorem 54 Consider the case of Weighted-Shafeef entropy problem:

$$\max -E^g [u(Y_T) g(Y_T)^{a-1} \ln g(Y_T)], q > 0$$

subject to

$$E^g [I_{\{-\infty < Y_T < \infty\}}] = 1 \quad (C-1)$$

$$E^g [u(Y_T) \varphi_i(Y_T)] = c_i, i = 1, ..n \quad (C-2)$$

where $\varphi_i \in \mathbb{R}$ and c_1, c_2, \dots, c_n are real given values. Then the solution is:

$$g(S_T) = \left[\frac{au(S_T) W\left(\frac{\gamma(1-a)}{au(S_T)} e^{-\left(\frac{1-a}{a}\right)}\right)}{\gamma(1-a)} \right]^{\frac{1}{1-a}}$$

where $\gamma = \alpha + \sum_{i=1}^n \beta_i u(S_T) \varphi_i(S_T)$ and $\beta_1, \beta_2, \dots, \beta_n$ are Lagrange multipliers and to be determined using C-1, C-2.

Chapter 9

Semi-Markov Regime Switching Interest Rate Models

9.1 Measure selection: Tsallis entropy

Proposition 55 *In the one-period model, the minimal entropy martingale measure is given by*

$$p_0^j = \frac{(1 - d_{Y_0}) \pi_0^j}{(u_{Y_0} - d_{Y_0}) \sum_{j=1}^m \pi_0^j},$$
$$q_0^j = \frac{(1 - u_{Y_0}) k_0^j}{(d_{Y_0} - u_{Y_0}) \sum_{j=1}^m k_0^j}$$

Theorem 56 [137] *The minimal Tsallis entropy martingale measure is given by:*

$$p_t^j = \frac{(1 - d_{Y_t}) \pi_t^j}{(u_{Y_t} - d_{Y_t}) \sum_{j=1}^m \pi_t^j}$$
$$q_t^j = \frac{(1 - u_{Y_t}) k_t^j}{(d_{Y_t} - u_{Y_t}) \sum_{j=1}^m k_t^j}$$

9.2 Measure selection: Kaniadakis entropy

Theorem 57 [137] *The minimal Kaniadakis entropy martingale measure is given by*

$$p_t^j = \frac{(1 - d_{Y_t}) \pi_t^j}{(u_{Y_t} - d_{Y_t}) \sum_{j=1}^m \pi_t^j}$$
$$q_t^j = \frac{(1 - u_{Y_t}) k_t^j}{(d_{Y_t} - u_{Y_t}) \sum_{j=1}^m k_t^j}.$$

9.3 Risk-Neutral Probabilities

Theorem 58 Consider the following problem where \mathbb{P} and \mathbb{Q} are two probability measures:

$$S(\mathbb{P}, \mathbb{Q}) = \mathbb{E}^{\mathbb{P}} \left(\frac{d\mathbb{Q}}{d\mathbb{P}} \right)^v \ln \left(\frac{d\mathbb{Q}}{d\mathbb{P}} \right), \text{ if } \mathbb{Q} \ll \mathbb{P}, v > 0$$

subject to

$$\begin{aligned} \sum_{j=1}^m (p_0^j + q_0^j) &= 1 \\ u_{Y_0} \sum_{j=1}^m p_0^j + d_{Y_0} \sum_{j=1}^m q_0^j &= 1 \end{aligned}$$

where u is an up movement and d is a down movement in the binomial option pricing model and Y_0 is a semi-markov process. Also we define:

$$\begin{aligned} \psi_1(x) &= x \ln \frac{x}{\pi_0^j} \\ \psi_2(x) &= x \ln \frac{x}{K_0^j} \end{aligned}$$

Then we have the following results:

$$\begin{aligned} p_0^j &= (\psi_1')^{-1}(-\lambda - \gamma u_{Y_0}) \\ q_0^j &= (\psi_2')^{-1}(-\lambda - \gamma d_{Y_0}) \end{aligned}$$

and

$$p_0^j = \pi_0^j \left[\frac{vW \left(\left(\frac{1-v}{\alpha v} \right) (\pi_0^j)^{1-v} \cdot e^{\left(\frac{1-v}{v} \right)} \right)}{\alpha(1-v) (\pi_0^j)^{1-v}} \right]^{\frac{1}{1-v}}$$

Bibliography

- [1] Appadoo, S.S., Ghahramani, M., Thavaneswaran, A., *Moment properties of sometime series models*, The Mathematical Scientist **30**,pp. 50-63, 2005.
- [2] Akaike, H., *Information theory and an extension of maximum likelihood principle*, Proc. 2nd International Symposium on Information Theory, pp.267-281, 1978.
- [3] Anatolyev, S., Gerko, A., A trading approach to testing for predictability, Journal of Business and Economics Statistics **23(4)**, pp.455-461, 2005.
- [4] Amico, G.D., Janssen,J., Manca, R., *European and American options: the semi-Markov case*, Physica A, Statistical Mechanics and its Applications **388**, pp. 3181–3194, 2009.
- [5] Appadoo, S.S., Thavaneswaran, A., Sing, J., RCA models with correlated errors, Applied Mathematics Letters,19(8), pp 824-829, 2006.
- [6] Bentas, S.R., Menezes, R., *Entropy: A new measure of stock market volatility*, Journal of Physics: Conference Series **394**, 2012.
- [7] Bollerslev, T., *Generalized autoregressive conditional heteroskedasticity*, Journal of Econometrics **31**, pp. 307-327,1986.
- [8] Bollerslev, T., Chou, R, Y., Kroner, K.F. , *ARCH modeling in finance: A review of the theory and empirical evidence*, Journal of Econometrics, **52(5)** , pp 5-59,1992.
- [9] Bollerslev, T., Engle, R.F., Nelson, D.B., *ARCH models: Hand book of econometrics*, Elsevier Sciences, **4**, 1994.
- [10] Black, F., Scholes, M., *The pricing of options and corporate liabilities*, Journal of Political Economy **81**, pp.637-659. 1973.
- [11] Badescu, A.M., Kulperger, R.J.,*GARCH option pricing: a semiparametric approach*,Insurance Mathematics and Economics **43**,pp.69-84,2008.
- [12] Barone-Adesi, G., Engle, R.F., Mancini, L., *A GARCH option pricing model with filtered historical simulation*, Review of Financial Studies **21(3)**, pp.1223-1258, 2008.
- [13] Butler, J.S., Schachter, B.,*Unbiased estimation of the Black-Scholes formula*, Journal of Financial Economics, **15(3)**, pp.341-357,1986.
- [14] Bollerslev, T., Todorov, V., Li, S.H, Jump tails, extreme dependencies, and the distribution of stock returns, Journal of Econometrics 172(2), p.307-324, 2013.
- [15] BailL, T.G., *Modelling the interest rate volatility with skewed fat tailed distributions*, Annals of Operation Research **151** , pp.151-171, 2007.

- [16] Berkowitz, J., Testing density forecasts, with application to risk management, *Journal of Business and Economics Statistics* **19(4)**, pp.465-474, 2001.
- [17] Bierens, H.J., *Information criterion and model selection*, Lecture Notes, 2006.
- [18] Box, G.E.P., Jenkins, G.M., Reinsel, G.C., *Time series analysis: Forecasting and control*, Prentice Hall, 1994.
- [19] Bollerslev, T., Chou, R.Y., Kronker, K.F., *ARCH modeling in finance: A review of the theory and empirical evidence*, *Journal of Econometrics* **52(5)** , pp.5-59, 1992.
- [20] Bollerslev, T., Engle, R.F., Nelson, D.B., *ARCH models: Hand book of econometrics*, Elsevier Sciences **4**, 1994.
- [21] Biagini, F., *A quadratic approach for interest rate models in incomplete markets*, in: Proceedings of the workshop in mathematical finance, Konstanz, 2001.
- [22] Biagini, F., *Mean-Variance hedging for interest rate models with stochastic volatility*, *Decisions in Economics and Finance* **25** , pp.1-17, 2002.
- [23] Björk, T., *Arbitrage theory in continuous time*, Oxford University Press, New York, 2009.
- [24] Bellis, M., Guiasu, S., *A quantitative-qualitative measure of information in cybernetic systems*, *IEEE Transformation Information Theory* **14**, p.593, 1968.
- [25] Bera, A.K., Park, S.Y., *Maximum entropy autoregressive conditional hetereskedastic model*, *Journal of Econometrics* **150(2)**, pp. 219-230, 2009.
- [26] Christian, F., Jean, Z.M., *GARCH models*, Jhon Wiley and sons, 2010.
- [27] Corrado, C.J., Miller, T.W., *A note on a simple accurate formula to compute implied standard deviations*, *Journal of Banking and Finance* **20**, pp.595-603,1996.
- [28] Christoffersen, P., Hahn, J., Inoue, A., *Testing and comparing value- at- risk measures*, *Journal of Empirical Finance* **8(3)**, pp.325-342, 2001.
- [29] Christoffersen, P., Diebold, F.X., *Financial asset returns, Direction of change-forecasting and volatility dynamics*, *Management Sciences* **52(8)**, pp.1273-1287, 2006.
- [30] Cont, R., *Empirical properties of asset returns: stylized facts and statistical issues*, *Quantitative Finance* **1**, pp.223-236, 2001.
- [31] Casquilho, J., Neves, M., Rego, F., *Extensos da funcao de Shannon e equilibriodeproporcoes-uma aplicacao ao mosaico de paisagem*, *Anais do Instituto Superior de Agronomia* **46**, pp. 77-99, 1997.
- [32] Cox, J.C., Ross, S.A., Rubinstein, M., *Option pricing: A simplified approach*, *Journal of Financial Economics* **7(3)**, pp.229-263,1979.
- [33] Cozzolino, J.M., Zahner, M.J., *The maxium entropy distribution of the future market price of a stock*, *Operations Research*, 1973.

- [34] Chryssaphinou, O., Karaliopoulou, M., Limmios, N., *On discrete-time semi-Markov chains and applications in word occurrences*, Communications in Statistics: Theory and Methods **37**, pp.1306–1322,2008.
- [35] Ding, Z., Granger, C.W.J., Engle, R.F., *A long memory property of stock market returns and a new model*, Journal of Empirical Finance **1**, pp. 83-106, 1993.
- [36] Duan, J.C., *The GARCH option pricing model*, Mathematical Finance **5**, pp.3-32, 1992.
- [37] Di Masi, G.B., Kabanov, Y.M., Runggaldier, W.J., *Mean-variance hedging of options on stocks with Markov volatilities*, Theory of Probability and its Applications **39**, pp.211–222, 1994.
- [38] Dahlquist, M., Gray, S.F., *Regime switching and interest rates in the European monetary system*, Journal of International Economics **50**, pp.399–419, 2000.
- [39] Dorje, C.B., Ian, R.C.B., Irene, C.C., *Option price calibration from Renyi entropy*, Physics Letter A **366(4-5)**, pp.298-307, 2007.
- [40] Engle, R.F., *Autoregressive conditional heteroscedasticity with estimates of the variance of U.K.inflation*, Econometrica **50**, pp. 987-1008, 1982.
- [41] Engle, R.F., *An introduction to use of ARCH/GARCH models in applied econometrics*, Forthcoming Journal of Economics Perspectives, 2001.
- [42] Engle, R.F., Bollerslev, T., *Modelling the persistence of conditional variances*, Econometric Reviews **5(1)**, pp.1-50, 1986.
- [43] Engle, R.F., Mezrich, J., *Grappling with GARCH*, Risk **8(9)**, PP.112-117, 1995.
- [44] Elliot, R.J., Siu, T.K., Chan, L., *Option pricing for GARCH models with Markov switching*, International Journal of Theoretical and Applied Finance **9(6)**, pp.825-841, 2006.
- [45] Elliott, R.J, Van der Hoek, J., *An application of hidden Markov models to asset allocation problems*, Finance and Stochastics **3**, pp.229–238,1997.
- [46] Elliott, R.J., Chan, L.C., Siu, T.K., *Option pricing and Esscher transform under regime switching*, Annals of Finance **1(4)**, pp.423–432, 2005.
- [47] Eliazar, I., Sokolov, I.M., *Maximization of statistical heterogeneity: From Shanon's entropy to Gini's index*, Physica A **389**, pp.3023-3038, 2010.
- [48] Espeon, G.H, *The Complete Guide to Option Pricing Formulas*, 2nd Edition, McGraw-Hill.
- [49] Feller, W., *An introduction to probability theory and its applications*, John Wiley & Sons ,Inc. ,1(3), 1967.
- [50] Franke, J., Hardle,W.K., Hafner, C.M., *Statistics of financial time series: An Introduction*, Springer, 2011.
- [51] Ferreira, J.T, Steel, M.F., *A constructive representation of univariate skewed distributions*, Journal of the Americal Statistical Association **93(441)**, pp.359-371, 2006.

- [52] Fritteli, M., *The minimal entropy martingale measure and the valuation problem in incomplete markets*, *Mathematical Finance* **10**, 39-52, 2000.
- [53] Fischer, M., Herrmann, K., *An alternative model for time varying moments using maximum entropy*, Working Paper, Diskussionspapier 84/2009.
- [54] Felix, C., *Modelling time varying higher moments with maximum entropy density*, *Mathematics and Computers in Simulations* **79**, pp. 2767-27-78, 2009.
- [55] Glosten, L.R., Jagannathan, R., Runkle, D.E., *On the relation between the expected value and the volatility of the nominal excess returns on stock*, *Journal of Finance* **48** , pp.1779-1801, 1993.
- [56] George, L., *Computational finance: Numerical methods for pricing financial instruments*, Butterworth-Heinemann, Elsevie, 2004.
- [57] Gerber, H., Shiu, E., *Option pricing by Esscher Transforms*, *Transactions of Society of Actuaries* 46, pp. 99-140, 1994.
- [58] Ghalanos, A., *Univariate GARCH models*, R Package rugarch, 2013.
- [59] Gong, H., Thavaneswaran, A., Sing, J., *A Black-Scholes model with GARCH volatility*, *The Mathematical Scientist* **35** ,pp.37-42,2010.
- [60] Ghalanos, A., *Univariate GARCH models*, 2013.
- [61] Grandits, P., *The p-optimal martingale measure and numerical option pricing for the Barndorff-Nielsen-Shephard stochastic volatility model*, *Stochastic Analysis and Applications* **27**, pp.875-896, 2009.
- [62] Goldfeld, S.M., Quandt, R.E., *A Markov model for switching regressions*, *Journal of Econometrics* **1**, pp.3-16, 1973.
- [63] Ghosh, M.K., Goswami, A., *Option pricing in a semi-Markov modulated market*, *SIAM Journal on Control and Optimization* **48**, pp.1519-1541,2009.
- [64] Granger, C.W.J., Terasvirta, T., *A simple nonlinear time series model with leading linear properties*, *Economics Letters* **62(2)**, pp.161-165, 1999.
- [65] Gulko, L., *Dart boards and asset prices introducing the entropy price theory*, *Advance Economics* **12**, pp.237-276, 1997.
- [66] Gulko, L., *The entropy theory of stock options*, General Re Corporation Yale School of Management, 1996,1997.
- [67] Gulko, L., *The entropy theory of stock option pricing*, *International Journal of Theoretical Applied Finance* **2**, pp.331-355, 1999.
- [68] Gulko, L., *The entropy theory of bond option pricing*, *International Journal of Theoretical Applied Finance* **5**, pp.355-383, 2002.
- [69] Guiasu, S., *Weighted entropy*, *Reports on Mathematical Physics* **2(3)**, pp. 165-179, 1971.

- [70] Hawkins, R.J., Rubinstein, M., Daniell, G.J., Reconstruction of the probability density function implicit in option prices from incomplete and noisy data, *Maximum Entropy and Bayesian Methods*, Hanson, K, Silver, R., Eds., Kluwer, 1996.
- [71] He, H., *Convergence from discrete to continuous-time contingent claim prices*, *Review of Financial Studies* **3(4)**, pp. 523-546, 1990.
- [72] Henson, B.E., *Autoregressive conditional density estimation*, *International Economic Review* **35** , pp.730-750.
- [73] He, C., Terasvirta, T., *Properties of moments of a family of GARCH processes*, *Journal of Econometrics* **92(1)**, pp.173-192, 1999.
- [74] Heston, S.L, Nandi, S., *A closed form option valuation model*, *The Review of Financial Studies* 13, pp.585-625, 2000.
- [75] Hannan, E.J., Quinn, B.M.G., *The determination of the order of an autoregression*, *Journal of the Royal Statistical Society, Series B*, 41, pp.190-5.
- [76] Hentschel, L., *All in the family nesting symmetric and asymmetric GARCH models*, *Journal of Financial Economics* **39(1)**, pp.71-104,1995.
- [77] Hunt, P.J, Kennedy, J.E, *Financial Derivatives in Theory and Practice*, Revised Edition, John, Wiley & Sons, Ltd. 2004.
- [78] Hunt, P.J., Kennedy, J.E., *Financial Derivatives in Theory and Practice*, John Wiley and Sons, Chichester, 2004.
- [79] Hunt, J.S., *A short note on continuous-time Markov and semi-Markov processes, discussion paper*, DP-1003, ISBA, UCL, 2010.
- [80] Hunt, J., Devolder, P., *Semi-Markov regime switching interest rate models and minimal entropy measure*, *Physica A* **390**, pp.3767-3781, 2011.
- [81] Hull, J., White, A., *Pricing interest-rate derivative securities*, *Review of Financial Studies* **3**, pp.573–592, 1993.
- [82] Hamilton, J.D., *A new approach to economic analysis of non-stationnary time series and the business cycle*, *Econometrica* **57**, pp.357–384, 1989.
- [83] Ho, T.S.Y., Lee, S.B., *Term structure movements and pricing interest rate contingent claims*, *Journal of Finance* **41(5)**, pp.1011–1029, 1986.
- [84] Hong, Y., Li, H., *Nonparametric specification testing for continuous-time models with applications to term structure of interest rates*, *Review of Financial Studies* **18**, pp.37–84.
- [85] Iosifescu, M., *Sampling entropy for random homogeneous systems with complete connections*, *Annals of Mathematical Statistics* **36**, pp.1433-1436, 1965.
- [86] Jondeau, E., Poon, S.H., Rockinger, M., *Financial modeling under non gaussian distributions*, Springer, 2006.
- [87] John, C.H, *Option Futures and Other Derivatives*, 7th Edition, 2009.

- [88] Jurgen, F., Wolfgang, H.K., Christian, H.M., *Statistics of Financial Markets: An Introduction*, Springer, 2011.
- [89] Jaynes, E.T., *Information theory and statistical mechanics*, The Physics Review, **106(4)**, pp. 620-630, 1957.
- [90] Jodra, P., *Computer generation of random variables with Lindley or Poisson-Lindley distribution via the Lambert W function*, Mathematics and Computers in Simulation **81**, pp. 851-859, 2010.
- [91] Kaniadakis, G., *Non-linear kinetics underlying generalized statistics*, Physica A: Statistical Mechanics and its Applications **296(3)**, pp.405–425, 2001.
- [92] Kaniadakis, G., *H-Theorem and generalized entropies within the framework of nonlinear kinetics*, Physics Letters A **288**, pp.283-291, 2001.
- [93] Liu, H.C., Lee, Y.H., Lee, M.C., *Forecasting china stock market volatility via GARCH models under skewed-GED distribution*, Journal of Money Investment and Banking **7**, pp. 5-15.
- [94] Kijima, M., Yoshida, T., *A simple option pricing model with Markovian volatilities*, Journal of the Operations Research Society of Japan **36(3)**, pp.149–166, 1993.
- [95] Kullback, S., Leibler, R.A., *On information and sufficiency*, Annals of Mathematical Statistics **22**, pp.79-86, 1951.
- [96] Landén, C., *Bond pricing in a hidden Markov model of the short rate*, Finance and Stochastics **4**, pp.371–389, 2000.
- [97] Latane, H.A., Rendleman R.J., *Standard deviation of stock price ratios implied by option premia*, Journal of Finance **31**, pp.369-382. 1976.
- [98] Limnios, L., Oprisan, G., *Semi-Markov Processes and Reliability*, Birkhauser, Boston, 2001.
- [99] Leipus, R., Surgallis, D., *Random coefficient auto regression, regime switching and long memory*, Advances in Applied Probability **35**, pp.737-754, 2003.
- [100] Liu, H.C., Lee, Y.H., Lee, M.C., *Forecasting china stock market volatility via GARCH models under skewed-GED distribution*, Journal of Money Investment and Banking **7**, pp. 5-15.
- [101] Limnios, N., V. Barbu, V., *Semi-Markov Chains and Hidden Semi-Markov Models Towards Applications*, Springer, New-York, 2008.
- [102] Luca, A.D., Termini, S.A., *A definition of non-probabilistic entropy in the setting of fuzzy sets theory*, Inf Control **20**, pp.301-312, 1972.
- [103] Luenberger, D.G., *Optimization by vector space methods*, Wiley, New York, 1969.
- [104] Mandelbrot, B., *The variation of certain speculative prices*, The Journal of Business, **36(4)**, pp.394-419, 1963.
- [105] Maszczyk, T., Duch, W., *Comparison of Shannon, Renyi and Tsallis entropy used in decision trees*, Lecture Notes on Computer Science **5097**, pp. 643-651, 2008.

- [106] Mercuri, L., *Option pricing in a GARCH models with tempered stable innovations* **5**, Financial Research Letters, pp.172-182, 2008.
- [107] Merton, R.C, *Theory of rational option pricing*, Bell Journal of Economics and Management Sciences **4(1)**, pp.141-183, 1973.
- [108] Nyblom, J., *Testing for the consistency of parameters over time*, Journal of the American Statistical Association **84(405)**, pp.223-230.
- [109] Nelson, D.B., Conditional heteroskedasticity in asset returns : A new approach, *Econometrica*, 59(2) , pp 347-371, 1991.
- [110] Nicholls, D., Quinn, B.G., *Random Coefficient Autoregressive Models, An Introduction: Lector Notes in Statistics*, Springer, New York, 1982.
- [111] Peiris, S., Thavaneswaran, A., Appadoo, S.S., *Doubly stochastic models with GARCH models*, Applied Mathematics Letters **24**, pp.1768-1773, 2011.
- [112] Peter, J.B, Richard, A.D, *Introduction to Time Series and Forecasting*, 2nd Edition, Springer, 2002.
- [113] Pascual, L., Romo, J., Ruiz, E., *Bootstrap Predictions for Returns and Volatilities in GARCH Models*, Computational Statistics and Data Analysis **50(9)**, pp.2293-2312, 2006.
- [114] Preda, V., Balcau, C., *On maxentropic reconstruction of countable Markov chains and matrix scaling problems*, Studies in Applied Mathematics, **111(1)**,pp.85-100, 2003.
- [115] Preda, V., Balcau, C., *Entropy optimization with applications*, The Publishing House of Romanian Academy, 2010.
- [116] Philippatos, G.C., Wilson, C.J., *Entropy, market risks and the selection of efficient portfolios*, Applied Economics **4**, pp.209-220, 1972.
- [117] Queiros, .M.D., Tsallis, C., Bridging a paradigmatic financial model and nonextensive entropy, *Echophysics Letters* 69(60), pp. 893-899, 2005.
- [118] Reinhold,H., *Lecture Notes in Economics and Mathematical Systems:Stochastic Implied Volatility*,Springer-Verlag,Berlin Hidelberg, 2004.
- [119] Renyi, A., *On measures of entropy and information*, In Proceedings of the 4th Berkely Symposium on Mathematics of Statistics and Probability **1**, pp.547-561, 1961.
- [120] Rongxi, Z., Ru, C., Guanqun, T., *Application of entropy in finance: A Review*, *Entropy* **15**, pp.4909-4931, 2013.
- [121] Rockinger, M., Jondeau, E., *Entropy densities with an application to autoregressive conditional skewness and kurtosis*, *Journal of Econometrics* **106**, pp. 119-142, 2002.
- [122] Sentana, E., *Quadratic ARCH models*, *Review of Economic Studies* **652** , pp. 639-661, 1995.
- [123] Shumay, H.R., Stoffer, D.S.,*Time series analysis and its applications: with R examples*, Springer Text In Statistics, 3,2010.

- [124] Schwert, G.W., Stock volatility and the crash of 87, *Review of Financial Studies* **3(1)**, pp.77, 1990.
- [125] Schwarz, G., Estimating the dimension of model, *Annals of Statistics* **6**, pp.461-464, 1978.
- [126] Stutzer, M., *Simple entropic derivation of a generalized Black-Scholes option pricing model*, *Entropy* **2**, pp.70-77, 2000.
- [127] Stutzer, M., *A simple nonparametric approach to derivative security valuation*, *Journal of Econometrics* **68**, pp. 367-397, 1995.
- [128] Shiryaev, A.N., *Probability*, 2nd Edition., Springer-Verlag, New York Inc, 2005.
- [129] Shannon, C.E., Weaver, W., *The mathematical theory of communication*, The University of Illinois Press, Urbana, 1964.
- [130] Shafee, F., *Lambert function and a new non-extensive form of entropy*, *Journal of Applied Mathematics*, **72**, pp. 785-800, 2007.
- [131] **Sheraz, M.**, *Doubly stochastic models with asymmetric GARCH errors*, Proceedings of the Romanian Academy Series A1, to be published.
- [132] **Sheraz, M.**, *Doubly stochastic models with Threshold GARCH innovations*, Mathematical Reports, to be published.
- [133] **Sheraz, M.**, *GARCH Model Selection and Conditional Distributions*, Economic Computation and Economic Cybernetics Studies and Research, to be published.
- [134] **Sheraz, M.**, *Empirical performance of some GARCH models*, *International Journal of Risk Theory* **3(1)** , pp.11-24, 2013.
- [135] **Sheraz, M.**, Preda, V., *Implied volatility in Black-Scholes model with GARCH volatility*, *International Conference of , Economics Scientific Research-Theoretical, Empirical and and Practical approaches –ESPERA : Proceedia Economics and Finance*, to be published, 2013.
- [136] Preda, V., **Sheraz, M.**, *Risk-neutral densities in entropy theory of stock options using Lambert function and a new approach*, Proceedings of the Romanian Academy, to be published.
- [137] Preda, V., Dedu, S., **Sheraz, M.**, *New measure selection for Hunt and Devolder's Semi-Markov regime switching interest rate model* , *Physica A*, Accepted for publication.
- [138] Sheraz, M., Preda, V., *On consistency of parameters estimates and forecasting volatility with GARCH models*, Submitted for publication.
- [139] Stoll. H., Whaley, R., *Futures and options*, South-Western, 1993.
- [140] Tsay, S.R., *Analysis of financial time series*, Wiley,3, 2010.
- [141] Thavaneswaran, A., Appadoo, S.S., Bector, C.R., *Recent developments in volatility modeling and applications*, *Journal of Applied Mathematics and decision sciences*, Article ID86320, pp.1-23.
- [142] Taylor, S.J., *Asset price dynamics, Volatility and prediction*, Princeton University Press, 2005.

- [143] Taylor, S.J, *Modeling financial time series*, 2nd Edition, Word Scientific, 2007.
- [144] Taylor, S.J., *Modelling Financial Time Series*, Wiley, 1986.
- [145] Thavaneswaran, A., Sing, J., Appadoo, S.S., *Option pricing for some stochastic volatility models B*, *Journal of Risk Finance* **7(4)** ,pp.425-445, 2006.
- [146] Thavaneswaran, A., Appadoo, S.S., Ghahramani, M., *RCA models with GARCH innovations*, *Applied Mathematics Letters* **22**, pp.110-114, 2009.
- [147] Thavaneswaran, A., Appadoo, S.S., Samanta, M. , *Random coefficient GARCH models*, *Mathematical and Computer Modeling* **41(6)** , pp.723-733, 2005.
- [148] Thavaneswaran, A., Appadoo, S.S., Bector, C.R., *Recent developments in volatility modeling and applications*, *Journal of Applied Mathematics and decision sciences*, Article ID86320, pp.1-23.2006.
- [149] Tjostheim, D., *Some doubly stochastic time series models*, *Journal of Time Series Analysis* **7 (1)** , pp.51-72, 1986.
- [150] Trivellato, B., *Deformed exponentials and applications to finance*, *Entropy***15**, pp.34-71-3489, 2013.
- [151] B. Trivellato, *The minimal k-entropy martingale measure*, *International Journal of Theoretical and Applied Finance* **15 (5)**, 2012.
- [152] Tsallis, C., *Possible generalization of Boltzmann-Gibbs statistics*, *Journal of Statistical Physics* **52**, pp.479-487, 1988.
- [153] Tsallis, C., Mendes, R.S., Plastino, A.R., *Physica A* **261**, pp.534, 1998.
- [154] Tsallis,C., Anteneodo, C., Borland, L., Osorio, R., *Nonextensive statistical mechanics and economics*, *Physica A: Statistical Mechanics and its Applications* **324 (1)**, pp.89–100, 2003.
- [155] Tudor, C., *Introduction to Stochastic Processes*, 2009.
- [156] Ubriaco, M.R., *Entropies based on fractional calculus*, *Physics Letters A* **373**, pp. 2516-2519, 2009.
- [157] Vasicek, O., *An equilibrium characterisation of the term structure*, *Journal of Financial Economics* **5**, pp.177–188, 1977.
- [158] Wilmott, P., Sam, H., Jeff, D., *Option Pricing Models and Computations*, 1995.
- [159] Wiener, N., *Cybernetics*, John Wiley and Sons, New York, 1948.
- [160] Wu, S., Zeng, Y., *The term structure of interest rates under regime shifts and jumps*, *Economics Letters* **93**, pp.215–221, 2006.
- [161] Wu, X., *Calculation of maximum entropy density with application to income distribution*, *Journal of Econometrics* **115**, pp. 347-354, 2003.
- [162] Wurtz, D., Chalabi,Y., Luksan, L., *Parameter estimation of ARMA models with GARCH/APARCH errors: An R and S plus software estimation*, *Journal of Statistical Software*, **vv(II)** ,2006.

- [163] Xekalaki, E., Degiannakis, S., *ARCH models for financial applicatios*, John Wiley & Sons Ltd, 2010.
- [164] Zellner, A., Highfield, R.A., *Calculation of maximum entropy distributions and approximation of marginal posterior distributions*, Journal of Econometrics 37(2), pp. 195-209, 1988.
- [165] Zakoian, J.M., *Threshold heteroskadasticity models*, Journal of Economic Dynamic and Control **15** , pp.931-955, 1994.